


Section 5 **SAFE DEPOSIT**

Worldwide safe deposit keys. Organized by lock manufacturer in alphabetical order with the keys listed in numerical order. Flat keys with no milling do not show a key profile in this section.

DIEBOLD



THICK
WIDTH
ILCO

.055" - 1.4mm
.375" - 9.5mm

1028

.050" - 1.3mm
.375" - 9.5mm

1028L

.055" - 1.4mm
.340" - 8.6mm

1028DD


.050" - 1.3mm
.375" - 9.5mm

1028E

.055" - 1.4mm
.390" - 9.9mm

1028F

DIEBOLD



THICK
WIDTH
ILCO

.060" - 1.5mm
.300" - 7.6mm

1028P

.075" - 1.9mm
.375" - 9.5mm

1052A

.085" - 2.2mm
.390" - 9.9mm

1052B

.085" - 2.2mm
.390" - 9.9mm


1052C

.050" - 1.3mm
.285" - 7.2mm

1066

DIEBOLD

HHM / YORK



THICK
WIDTH
ILCO

.050" - 1.3mm
.340" - 8.5mm

1365

.050" - 1.3mm
.385" - 9.8mm

1028A

.055" - 1.4mm
.385" - 9.8mm

1028AY


.060" - 1.3mm
.335" - 8.5mm

1028G


.060" - 1.3mm
.335" - 8.5mm

1028N


HHM / YORK




.060" - 1.5mm
.340" - 8.6mm
1028NN




.050" - 1.3mm
.340" - 8.6mm
O1028A



.060" - 1.5mm
.340" - 8.6mm
O1028AH



.085" - 2.2mm
.350" - 8.9mm
1133




.085" - 2.2mm
.350" - 8.9mm
1133A


THICK
WIDTH
ILCO

HHM / YORK


ILCO / KABA MAS




.050" - 1.3mm
.350" - 8.9mm
1134




.080" - 2.0mm
.350" - 8.9mm
1135



.080" - 2.0mm
.280" - 7.1mm
SG4




.060" - 1.5mm
.240" - 6.1mm
887




.070" - 1.8mm
.320" - 8.1mm
1089C

THICK
WIDTH
ILCO


ILCO / KABA MAS




.070" - 1.8mm
.330" - 8.4mm
1333




.070" - 1.8mm
.320" - 8.1mm
1334



.080" - 2.2mm
.375" - 9.5mm
1335S




.085" - 2.2mm
.320" - 8.1mm
1360G



.070" - 1.8mm
.280" - 7.1mm
1362


THICK
WIDTH
ILCO

ILCO / KABA MAS




.080" - 2.0mm
.280" - 7.1mm

1387




.080" - 2.0mm
.280" - 7.1mm

1387G



.070" - 1.8mm
.280" - 7.1mm

1388




.070" - 1.8mm
.280" - 7.1mm

1388L


THICK
WIDTH
ILCO

ILCO / KABA MAS




.070" - 1.8mm
.320" - 8.1mm

1396S




.055" - 1.4mm
.350" - 8.9mm

1526




1054UN

LEFEBURE



.070" - 1.8mm
.320" - 8.1mm

LB1




.070" - 1.8mm
.320" - 8.1mm

LB2


THICK
WIDTH
ILCO

LEFEBURE




.070" - 1.8mm
.320" - 8.1mm

LB3




.070" - 1.8mm
.320" - 8.1mm

LB4




.080" - 2.0mm
.320" - 8.1mm

LB5



.070" - 1.8mm
.320" - 8.1mm

LB6



.070" - 1.8mm
.320" - 8.1mm

LB7

THICK
WIDTH
ILCO

LEFEBURE	MILES OSBORNE		MOSLER	
.070" - 1.8mm .350" - 8.9mm LB8	.081" - 2.1mm .435" - 11.0mm MN1	.050" - 1.3mm .315" - 8.0mm MN3	.040" - 1.0mm .305" - 7.7mm 143D	.080" - 2.0mm .350" - 8.9mm 155

THICK
WIDTH
ILCO

MOSLER				
.060" - 1.5mm .330" - 8.4mm 706	.060" - 1.5mm .375" - 9.5mm 723	.060" - 1.5mm .335" - 8.5mm 1091	.040" - 1.0mm .300" - 7.6mm 1095	.050" - 1.3mm .300" - 7.6mm 1095HL


THICK
WIDTH
ILCO

MOSLER				
.060" - 1.5mm .300" - 7.6mm 1095H	.040" - 1.0mm .300" - 7.6mm 1095A	.085" - 2.2mm .350" - 8.9mm 1115	.085" - 2.2mm .350" - 8.9mm 1115A	.085" - 2.2mm .355" - 9.0mm 1115AL

THICK
WIDTH
ILCO


MOSLER

THICK
WIDTH
ILCO



.085" - 2.2mm
.355" - 9.0mm

1115XL



.085" - 2.2mm
.350" - 8.9mm

1115B




.085" - 2.2mm
.350" - 8.9mm

1115BL


MOSLER

THICK
WIDTH
ILCO




.060" - 1.5mm
.380" - 9.7mm

1323




.060" - 1.5mm
.380" - 9.7mm

1323L




.060" - 1.5mm
.375" - 9.5mm

1335S



.055" - 1.4mm
.350" - 8.9mm

1526



.060" - 1.5mm
.350" - 8.9mm


4015

PRECISION

SARGENT & GREENLEAF / S & G


**SEE ILCO/
KABA
MAS**

THICK
WIDTH
ILCO




.080" - 2.0mm
.280" - 7.1mm

SG4




.050" - 1.3mm
.375" - 9.5mm

1028D



.060" - 1.5mm
.280" - 7.1mm


1063




.070" - 1.8mm
.375" - 9.5mm

1063B


SARGENT & GREENLEAF / S & G




.070" - 1.8mm
.380" - 9.7mm
1063D




.070" - 1.8mm
.320" - 8.1mm
1063E



.085" - 2.2mm
.275" - 7.0mm
1068




.085" - 2.2mm
.320" - 8.1mm
1068B




.085" - 2.2mm
.320" - 8.1mm
1068E

THICK
WIDTH
ILCO


SARGENT & GREENLEAF / S & G



.050" - 1.3mm
.435" - 11.2mm
1084




.070" - 1.8mm
.320" - 8.1mm
1089C




.050" - 1.3mm
.275" - 7.0mm
A1124

THICK
WIDTH
ILCO


SARGENT & GREENLEAF / S & G




.075" - 1.9mm
.215" - 5.5mm
O1125NR




.085" - 2.2mm
.320" - 8.1mm
1360G



.070" - 1.8mm
.280" - 7.1mm
1362



.080" - 2.0mm
.280" - 7.1mm
1387



.080" - 2.0mm
.280" - 7.1mm
1387G

THICK
WIDTH
ILCO

SARGENT & GREENLEAF / S & G

THICK WIDTH ILCO	.070" - 1.8mm .280" - 7.1mm 1388	.070" - 1.8mm .280" - 7.1mm 1388L	.085" - 2.2mm .380" - 9.7mm 1389G	.070" - 1.8mm .380" - 9.7mm 1390	.080" - 2.0mm .380" - 9.7mm 1390G


SECURITY / KUMAHIRA


		5 PIN	6 PIN			
		SY1	SY5-NS			
		SY2	SY6-NS			
		SY4	SY8-NS			
		SY7	SY3-NS			
THICK WIDTH ILCO				.075" - 1.9mm .440" - 11.2mm SY10	.055" - 1.4mm .310" - 7.9mm SY11	.055" - 1.4mm .315" - 8.0mm SY12


SECURITY / KUMAHIRA YALE


THICK WIDTH ILCO	.055" - 1.4mm .315" - 8.0mm SY13	.085" - 2.2mm .355" - 9.0mm 884	.085" - 2.2mm .355" - 9.0mm 884R	.080" - 2.0mm .350" - 8.9mm 884BR	.085" - 2.2mm .350" - 8.9mm 884BS


YALE





 .080" - 2.0mm
 .355" - 9.0mm
885




 .080" - 2.0mm
 .355" - 9.0mm
885R




 .085" - 2.2mm
 .350" - 8.5mm
886





.060" - 1.5mm
 .240" - 6.1mm
887


THICK
 WIDTH
ILCO


YALE


MISCELLANEOUS






 .080" - 2.0mm
 .370" - 9.4mm
1028M





 .090" - 2.3mm
 .300" - 7.6mm
1060C




 .085" - 2.15mm
 .300" - 7.6mm
1587



.070" - 1.8mm
 .280" - 7.1mm
SG5




.050" - 1.3mm
 .375" - 9.5mm
1028C


THICK
 WIDTH
ILCO

SAFE DEPOSIT

MISCELLANEOUS




.050" - 1.3mm
 .380" - 9.7mm
1028DC




.050" - 1.3mm
 .375" - 9.5mm
1093



.060" - 1.5mm
 .375" - 9.5mm
1093H



.050" - 1.3mm
 .380" - 9.7mm
1110A



.060" - 1.5mm
 .380" - 9.7mm
1110B

THICK
 WIDTH
ILCO